


Isolator Locations



| Isolator Locations | Isolator Selection |
|--------------------|--------------------|
| | |
| | |
| | |
| | |
| | |

| 3 Inch Deflection | | |
|--------------------|----------------|---------|
| HQ Product Ratings | L ₁ | W x L |
| G213, G303 | 7-1/2 | 3 x 9 |
| G426, G606 | 8-1/2 | 3 x 10 |
| G853, G1223 | 8-1/2 | 4 x 10 |
| G1706 | 11-1/2 | 4 x 13 |
| G2446 | 11-1/2 | 4 x 13 |
| G3412, G4892 | 12 | 8 x 14 |
| G6824, G9784 | 14-1/2 | 12 x 16 |

| 4 Inch Deflection | | |
|--------------------|----------------|---------|
| HQ Product Ratings | L ₁ | W x L |
| H154, H221 | 8-1/4 | 4 x 10 |
| H308, H442 | 10-1/4 | 4 x 12 |
| H624, H883 | 9 | 5 x 11 |
| H1248 | 13 | 5 x 15 |
| H1766 | 13 | 5 x 15 |
| H2496 | 11 | 9 x 13 |
| H3532 | 12 | 10 x 14 |
| H4992 | 15-1/4 | 15 x 17 |
| H7064 | 16-1/4 | 15 x 18 |

| 1 Inch Deflection | | |
|------------------------|----------------|--------|
| HQ Product Ratings | L ₁ | W x L |
| E21, E55, E79, E106 | 7-1/2 | 3 x 9 |
| E143, E187, E244, E318 | 7-1/2 | 3 x 9 |
| E415, E500, E630 | 7-1/2 | 3 x 9 |
| E806, E1030, E1230 | 8-1/4 | 3 x 10 |
| E1660, E2000 | 8-1/2 | 4 x 10 |
| E2760, E3204 | 8-1/2 | 4 x 10 |
| E4128 | 9-1/4 | 4 x 11 |
| E5520 | 10-1/4 | 6 x 12 |
| E6408, E8256 | 11-1/4 | 6 x 13 |

| 2 Inch Deflection | | |
|----------------------------|----------------|---------|
| HQ Product Ratings | L ₁ | W x L |
| F59, F83, F121, F171, F241 | 7-1/2 | 3 x 9 |
| F312, F348, F497, F590 | 7-1/2 | 3 x 9 |
| F780, F978, F1159 | 8-1/2 | 4 x 10 |
| F1248, F1650, F1988 | 9-1/4 | 6 x 11 |
| F2360, F2560, F3300 | 9-1/4 | 6 x 11 |
| F3976, F4720 | 11-1/4 | 9 x 13 |
| F5120, F6600 | 11-1/4 | 9 x 13 |
| F7824, F9272 | 14 | 12 x 16 |

TYPICAL CALLOUT

Type - Load
 HQ - E106

Notes:

Un-housed free standing laterally stable spring isolator 5 way protection style shown. 6 way style available. Lower center of gravity tube arrangement for a stable isolation system.

* Maybe single or a cluster of 2, 4 or 8 springs.

Installation Instructions

See file F89



CALIFORNIA DYNAMICS CORPORATION
 5572 ALHAMBRA AVE. LOS ANGELES CA, 90032
 PH. 323-223-3882 FAX. 323-223-7941
 email: caldyn@earthlink.net

"CALL US - TO SET THINGS RIGHT"

Assoc. Member



JOB:

CUSTOMER:

TAG:

Dwg. No.

F375

Date

3/1/16

PREP By:

Date

CHKD By:

Date

DO NOT SCALE DRAWING

TYPE

HQ

UNEXCELLED
 VIBRATION ISOLATION
 AND
 EARTHQUAKE
 PROTECTION